

SN 10/629,982
Docket No. S-100,613
In Response to Office Action dated 5/25/2007

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claim 1. (currently amended) An asymmetric chiral labeled glycerol selected from the group consisting of (2S) [2-¹³C]glycerol and (2R) [2-¹³C]glycerol and from zero one to four deuterium atoms bonded directly to a carbon atom with the proviso that where there is only one deuterium atom, it is bonded to a terminal carbon atom.

Claim 2. (previously amended) An asymmetric chiral labeled glycerol selected from the group consisting of (2S) [1,2-¹³C₂]glycerol and (2R) [1,2-¹³C₂]glycerol and from zero to four deuterium atoms bonded directly to a carbon atom.

Claim 3. (previously amended) An asymmetric chiral labeled glycerol selected from the group consisting of (2S, 3S) [1,2-¹³C₂, 3-²H]glycerol, (2R, 3R) [1,2-¹³C₂, 3-²H]glycerol, (2S, 3R) [1,2-¹³C₂, 3-²H]glycerol, (2R, 3S) [1,2-¹³C₂, 3-²H]glycerol, (2S) [1-¹³C, 2-²H]glycerol and (2R) [1-¹³C, 2-²H]glycerol.

Claim 4. (cancelled)

Claim 5. (previously amended) The asymmetric chiral labeled glycerol of claim 2 wherein said glycerol is selected from the group consisting of (2S) [1,2-¹³C₂, 3-²H]glycerol and (2R) [1,2-¹³C₂, 3-²H]glycerol.

Claim 6. (previously amended) The asymmetric chiral labeled glycerol of claim 2 wherein said glycerol is selected from the group consisting of (2S) [1,2-¹³C₂, 3-²H₂]glycerol and (2R) [1,2-¹³C₂, 3-²H₂]glycerol.

Claim 7. (original) The asymmetric chiral labeled glycerol of claim 1 wherein said glycerol is selected from the group consisting of (2S) [1-²H, 2-¹³C]glycerol and (2R) [1-²H, 2-¹³C]glycerol.

Claim 8. (original) The asymmetric chiral labeled glycerol of claim 1 wherein said glycerol is selected from the group consisting of (2S) [1-²H₂, 2-¹³C]glycerol and (2R) [1-²H₂, 2-¹³C]glycerol.

Claim 9. (previously amended) An asymmetric chiral labeled glycerol selected from the group consisting of (1S, 2S) [1-¹³C, 1-²H]glycerol, (1R, 2R) [1-¹³C, 1-²H]glycerol, (1S, 2R) [1-¹³C, 1-²H]glycerol and

SN 10/629,982

Docket No. S-100,613

In Response to Office Action dated 5/25/2007

(1R, 2S) [1-¹³C, 1-²H]glycerol.

Claim 10. (previously amended) An asymmetric chiral labeled glycerol including two chiral atoms, from one to two ¹³C atoms and from one to four deuterium atoms bonded directly to a carbon atom.

Claim 11. (previously amended) The asymmetric chiral labeled glycerol of claim 10 wherein said glycerol is selected from the group consisting of (1R, 2R) [1-¹³C, 1,2-²H₂]glycerol, (1S, 2S) [1-¹³C, 1,2-²H₂]glycerol, (1S, 2R) [1-¹³C, 1,2-²H₂]glycerol, (1R, 2S) [1-¹³C, 1,2-²H₂]glycerol, (1R, 2R) [1-¹³C, 1,3-²H₃]glycerol, (1S, 2S) [1-¹³C, 1,3-²H₃]glycerol, (1S, 2R) [1-¹³C, 1,3-²H₃]glycerol and (1R, 2S) [1-¹³C, 1,3-²H₃]glycerol.

Claim 12. (currently amended) The asymmetric chiral labeled glycerol of claim 10 wherein said glycerol is selected from the group consisting of ~~(1R, 2R) [1-¹³C, 1,2,3-²H₄]glycerol, (1S, 2S) [1-¹³C, 1,2,3-²H₄]glycerol, (1S, 2R) [1-¹³C, 1,2,3-²H₄]glycerol and (1R, 2S) [1-¹³C, 1,2,3-²H₄]glycerol~~ (1R, 2R) [1-¹³C, 1,2,3,3-²H₄]glycerol, (1S, 2S) [1-¹³C, 1,2,3,3-²H₄]glycerol, (1S, 2R) [1-¹³C, 1,2,3,3-²H₄]glycerol and (1R, 2S) [1-¹³C, 1,2,3,3-²H₄]glycerol.

Claim 13. (previously amended) The asymmetric chiral labeled glycerol of claim 10 wherein said glycerol is selected from the group consisting of (1R, 2R) [1,2-¹³C₂, 1-²H]glycerol, (1S, 2S) [1,2-¹³C₂, 1-²H]glycerol, (1S, 2R) [1,2-¹³C₂, 1-²H]glycerol and (1R, 2S) [1,2-¹³C₂, 1-²H]glycerol.

Claim 14. (previously amended) The asymmetric chiral labeled glycerol of claim 10 wherein said glycerol is selected from the group consisting of (1R, 2R) [1,2-¹³C₂, 1,2-²H₂]glycerol, (1S, 2S) [1,2-¹³C₂, 1,2-²H₂]glycerol, (1S, 2R) [1,2-¹³C₂, 1,2-²H₂]glycerol and (1R, 2S) [1,2-¹³C₂, 1,2-²H₂]glycerol.

Claim 15. (previously amended) The asymmetric chiral labeled glycerol of claim 10 wherein said glycerol is selected from the group consisting of (1R, 2R) [1,2-¹³C₂, 1,3-²H₃]glycerol, (1S, 2S) [1,2-¹³C₂, 1,3-²H₃]glycerol, (1S, 2R) [1,2-¹³C₂, 1,3-²H₃]glycerol and (1R, 2S) [1,2-¹³C₂, 1,3-²H₃]glycerol.

Claim 16. (currently amended) The asymmetric chiral labeled glycerol of claim 10 wherein said glycerol is selected from the group consisting of ~~(1R, 2R) [1,2-¹³C₂, 1,2,3-²H₄]glycerol, (1S, 2S) [1,2-¹³C₂, 1,2,3-²H₄]glycerol, (1S, 2R) [1,2-¹³C₂, 1,2,3-²H₄]glycerol and (1R, 2S) [1,2-¹³C₂, 1,2,3-²H₄]glycerol~~

SN 10/629,982

Docket No. S-100,613

In Response to Office Action dated 5/25/2007

(1R, 2R) [1,2-¹³C₂, 1,2,3,3-²H₄]glycerol, (1S, 2S) [1,2-¹³C₂, 1,2,3,3-²H₄]glycerol,(1S, 2R) [1,2-¹³C₂, 1,2,3,3-²H₄]glycerol and (1R, 2S) [1,2-¹³C₂, 1,2,3,3-²H₄]glycerol.

Claim 17. (cancelled)